

# **Control More Weeds with the Power of Quincept**<sup>®</sup>.

Quincept<sup>®</sup> herbicide from Nufarm offers the perfect balance of power and performance to control both grass and broadleaf weeds. Use Quincept in the spring as a clean-up product for areas that missed a pre-emerge grass herbicide application or late season for weed escapes. Quincept delivers the versatility you need to address many weed problems.

### BROAD LABEL FOR FLEXIBLE WEED CONTROL

- Post-emergence control of more than 200 tough broadleaf weeds plus crabgrass, foxtail, barnyardgrass and signalgrass
- Three active ingredients pack a powerful punch
- Perfect late season rescue for weed escapes
- Ideal for broadcast spray or spot applications
- Easy to use liquid measuring and use with limited agitation
- Spot treatment only in NY
- · Restricted use product in NY

EPA REG. NO.	228-531
ACTIVE INGR.	2,4-D (13.24%), quinclorac (8.25%), dicamba (1.38%)
FORMULATION	liquid
CHEM. FAMILY	phenoxy, benzoic, quinoline
HRAC NO.	4
SIGNAL WORD	caution
RESTRICTED	no
PACKAGE SIZE	24 x 8 oz squeeze-and-pour, 8 x 64 oz, 2 x 2.5 gal, 30 gal





TURF

- GOLF TURF
- POST EMERGE
- O SOD FARMS





# **KEY USES**

Residential and non-residential turfgrasses (grounds or lawns around residential and commercial establishments, parks, airports, roadsides, schools, picnic grounds, athletic fields, cemeteries, golf courses and sod farms)

### **KEY WEEDS CONTROLLED**

(See product label for complete list) Alder Barnyardgrass Beggartick Boxelder Bull thistle Carpetweed Chickweed Crabgrass; large, smooth Dandelion Dogbane False flax Foxtail; giant, green, yellow Goldenrod Hawkweed Henbit Horsetail Kochia Locoweed Marshelder Mustard Nettle Oxalis Pennywort Purslane Ragweed Spurge Sumac Tall nettle Thistle Tumbleweed Velvetleaf Virginia creeper Woodsorrel Yarrow Yellow rocket

#### **USE SUMMARY**

For single application, use 7 to 8 pts per acre or 112 to 128 ounces per acre. For spot treatments, apply 2.6 to 2.9 fluid ounces per 1,000 sq ft.

Ensure that spray volumes are adequate to completely cover weeds, especially when dense weed infestations make it difficult to completely cover the foliage of target weeds.

Early Quincept® applications will not control weeds germinating later in the season so a second application may be necessary.

# **DUAL APPLICATIONS**

A single application should control less mature, light weed populations; however, a second application may be required to control heavy, mature broadleaf weed infestations. Under certain conditions, annual grasses in the 2 to 4-tiller stages may require a sequential application. If a second application is required, allow 14 to 21 days between applications. *See label for complete directions for use.* 



www.nufarm.com/us